



ADITYA ENVIRONMENTAL SERVICES PVT. LTD.

Testing Laboratory is certified by **ISO 9001:2015 & ISO 45001:2018**

Recognized by **MoEFCC** as “**Environmental Laboratory**” valid up to 24.04.2027.

Laboratory: P-1, MIDC Mohopada, Rasayani, Dist. Raigad, 410222, E-mail: pglab@aespl.co.in

Tel: 9112844844, CIN: U74999MH2001PTC132091 UDYAM-MH-19-0029787

Monitoring Period: July 2025

Purpose:

The objective of the monitoring is to understand the Ambient Air quality, Ambient Noise quality, Ground water quality at Navi Mumbai International Airport site and nearby villages.

Location of site: Navi Mumbai International Airport, At Ulwe, Panvel Taluka, Raigad District, Maharashtra.

Scope:

The scope of work includes:

Assessment of the present status of following components of environment:

- Ambient Air monitoring at 9 locations
- Ambient Noise monitoring at 10 locations
- Ground water monitoring at 2 locations & Drinking water monitoring at 1 location





ADITYA ENVIRONMENTAL SERVICES PVT. LTD.

Testing Laboratory is certified by **ISO 9001:2015 & ISO 45001:2018**

Recognized by **MoEFCC** as "**Environmental Laboratory**" valid up to 24.04.2027.

Laboratory: P-1, MIDC Mohopada, Rasayani, Dist. Raigad, 410222, E-mail: pglab@aespl.co.in

Tel: 9112844844, CIN: U74999MH2001PTC132091 UDYAM-MH-19-0029787

Analysis Data:

• Ambient Air monitoring

Monitoring Dates & Duration	: 14 th July 25 to 16 th July 25; 24 hourly monitoring.
Analysis Dates	: 14 th July 25 to 22 nd July 25
Locations covered (AAQ 9 Locations)	: Owale, Pargaon, Ulwe node, NMIA Project office, Kille Gavthan, L&T site Office, Diwale Koliwada, Jui & Panvel.
Parameters covered for AAQ.	: 12 Parameters as per National Ambient Air Quality Standards (NAAQS) 2009.





Analysis values except SO₂, NO₂, PM₁₀, PM_{2.5}, O₃, NH₃ and CO at all 9 locations are found below detection levels (BDL).

Sr. No.	Parameter	Result	Limits as per NAAQS 2009	Unit
1.	Benzo(a) pyrene as B(a)P	< 0.5	1.0 ***	ng/m ³
2.	Lead as Pb	< 0.5	1.0 *	µg/m ³
3.	Nickel as Ni	< 5.0	20 ***	ng/m ³
4.	Arsenic as As	< 5.0	6.0 ***	ng/m ³
5.	Benzene[C ₆ H ₆]	< 0.2	5.0 ***	µg/m ³

[*] 24 hourly monitoring values; [**] 1 hourly monitoring values; [***] annually monitoring values.

Conformity Statement: The monitoring undertaken indicates that Ambient Air Quality Values for monitored parameters are within the levels stipulated under National Ambient Air Quality Standards (NAAQS) 2009 for all 9 locations.

Analysis Data for SO₂, NO₂, PM₁₀, PM_{2.5} and CO





ADITYA ENVIRONMENTAL SERVICES PVT. LTD.


Testing Laboratory is certified by **ISO 9001:2015 & ISO 45001:2018**

Recognized by **MoEFCC** as "**Environmental Laboratory**" valid up to 24.04.2027.


Laboratory: P-1, MIDC Mohopada, Rasayani, Dist. Raigad, 410222, E-mail: pglab@aespl.co.in

Tel: 9112844844, **CIN:** U74999MH2001PTC132091 UDYAM-MH-19-0029787


Ambient Air Quality O₃ - July 25



Ambient Air NH₃ July 25



Ambient Air Quality CO July.25




Location Code	Name of the Location
A1	Owale
A2	Pargaon
A3	Ulwe Node
A4	NMIA Project Site
A5	Kille Gavthan
A6	L&T project office
A7	Diwale Koliwada
A8	Panvel
A9	Jui

• Ambient Noise

Monitoring Dates & Duration	:	14 th July 25 to 16 th July 25; 24 hourly monitoring.
Locations covered (10 Locations)	:	Owale, Pargaon, Ulwe node, NMIA Project site, Kille Gavthan, L&T Project Office, Diwale Koli Wada, Jui, Panvel & Karanjade.

Industrial Noise

Noise Monitoring-July-25





ADITYA ENVIRONMENTAL SERVICES PVT. LTD.


Testing Laboratory is certified by ISO 9001:2015 & ISO 45001:2018

Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2027.

Laboratory: P-1, MIDC Mohopada, Rasayani, Dist. Raigad, 410222, E-mail: pglab@aespl.co.in

Tel: 9112844844, CIN: U74999MH2001PTC132091 UDYAM-MH-19-0029787

Residential Noise



Location Code	Name of the Location	Noise Levels dB (A)			
		L-day	L-night	Leq Day	Leq Night
Industrial Zone					
N5	NMIA Project Site	56.4	52.8	56.59	53.07
N7	L&T Site Office	55.9	52.7	56.54	53.15
Residential Zone					
N1	Owale	51.4	40.5	52.61	40.63
N2	Pargaon	53.2	41.3	53.28	41.80
N3	Ulwe Node	52.9	41.3	54.07	41.30
N4	Karanjade	52.8	41.5	53.56	41.69
N6	Kille Gavthan	50.4	41.9	50.54	42.15
N8	Diwale Koliwada	51.6	42.6	52.67	43.38
N9	Jui	53.3	40.8	56.15	40.57
N10	Panvel	51.9	41.5	53.58	41.43

Sr. No.	Sources	Noise Levels dB (A)	
		Leq Day	Leq Night
	limits as per EPA Standard		
1.	Rural/Residential Zone (R)	55.0	45.0
2.	Commercial Zone (C)	65.0	55.0
3.	Industrial Zone (I)	75.0	70.0
4.	Silence Zone (S)	50.0	40.0

Conformity Statement: Noise Levels at all the locations were found within the stipulated limits as per EPA Standard for Industrial and Residential Areas.



ADITYA ENVIRONMENTAL SERVICES PVT. LTD.

Testing Laboratory is certified by ISO 9001:2015 & ISO 45001:2018

Recognized by MoEFCC as "Environmental Laboratory" valid up to 24.04.2027.

Laboratory: P-1, MIDC Mohopada, Rasayani, Dist. Raigad, 410222, E-mail: pglab@aespl.co.in

Tel: 9112844844, CIN: U74999MH2001PTC132091 UDYAM-MH-19-0029787

• Ground water

Monitoring Dates	:	14 th July 2025 & 16 th July 2025 Grab sampling.
Analysis Dates	:	14 th July 2025 to 21 st July 2025
Locations covered. (3 Locations)	:	Dug well water at Owale, Dapoli & Drinking Water at NMIA Project Office Canteen.
Parameters covered	:	59 Parameters as per IS 10500:2012 Drinking water Specification (Except Radioactive materials).

Sampling Code	Name of the Location
GW - II	Open well at Owale (Depth of water 2.0 Feet)
GW - III	Open well at Dapoli (Depth of water 3.0 Feet)
DW- II	Drinking Water at NMIA Project Office Canteen

Conformity Statement: All Dug well water samples are **Pass** as per IS 10500:RA:2018 w. r. t. Chemical analysis & **Fail** for Microbiological analysis. Drinking water sample is **Pass** as per IS 10500:2012 w. r. t. chemical & Microbiological analysis.

Himani P. Joshi.
(Report Reviewed By)



Reshma S. Patil.
(Authorized Signatory)

-End of Report-